CONFIGURATION GUIDES › INSTALL, START & UPDATE

Task creation to stop the SingleAgent


Applicare 10.0 · Updated September 13, 2024 · singleagent, windows, tasks · **Pending technical review**


1. Navigate to **ApplicareSingleAgent** home directory and create a **stopAgent.bat** file with the following content. Save the file once created.


@echo off wmic process where "commandline like '%%applicare.standalone=true%%' and name='java.exe'" delete

```
@echo off
wmic process where "commandline like '%%applicare.standalone=true%%' and name='java.exe'" delete
```


2. Open **Task Scheduler** and create the task as specified below.




Create Task
General
Triggers
Actions
Conditions
Settings
Name:
StopSingleAgent
3
Location:
\ApplicareAgent
Author:
DESKTOP-R5G4L5M\stham
Description:
Security options
When ing the task, use the following user account:
DESK G4L5M\stham
4
Change User or Group...
Run only when user is logged on
Run whether user is logged on or not
Do not store password. The task will only have access to local computer resources.
Run with highest privileges
Hidden
Configure for:
Windows Vista™, Windows Server™ 2008
OK
Cancel



Do not alter the start time.





Program/script: AgentHomeDir\stopAgent.bat


Add arguments(optional): AgentHomeDir\stopAgent.bat

Start in (optional): AgentHomeDir\


Replace **AgentHomeDir** with the correct path.


Create Task
General
Trigge
Actions
Con
11
When you create a
you mu
Action
Details
12
New...
Edit...
New Action
You must specify what action this task will perform.
Action:
Start a program
Settings
Program/script:
E:\Applicare\MySQL\Applicare921\stopAgent.bat
Browse...
Add arguments (optional):
licare921\stopAgent.bat
Start in (optional):
e\MySQL\Applicare921\
13
14
OK
Cancel


Create Task
General
Triggers
Actions
Conditions
Settings
15
Specify the conditions that, alo the trigger, determine whether the task should run. The task will not run if any condition specified he is not true.
Idle
Start the task only if the computer is idle for:
10 minutes
Wait for idle for:
1 hour
Stop if the computer ceases to be idle
Restart if the idle state resumes
Power
Start the task only if the computer is on AC power
Stop if the computer switches to battery power
Wake the computer to run this task
16
Network
Start only if the following network connection is available:
Any connection
17
OK
Cancel



The task will be generated.



Running this task it will terminate all the Java processes, and the **SingleAgent** task Status will be changed to Ready. Next, right-click the **SingleAgent** task and select **Run** to start the agent.

Monitoring with Applicare